



Statistical  
Report

# Technical characteristics of the port



# Technical characteristics of the port

## General Conditions

Location	
Longitude:	6° 49' 32.8" W (Greenwich)
Latitude:	37° 8' 6.6" N
Régimen de vientos	
Prevailing (most frequent wind direction):	NO
Predominant (direction of wind gusts at maximum speeds):	SO
Storm system	
Significant maximum wave height (Hs MAX):	2,76
Peak wave period (Tp) linked to Hs MAX:	10,01
Mean wave direction (Dir) linked to Hs MAX:	246
Nivel del mar	
Maximum tidal range recorded during the year *:	3,81
Minimum low tide recorded during the year with respect to port zero *:	0,07
Minimum low tide recorded during the year compared to port zero *:	4,04

\* Data from the latest recorded year, 2019

Entrance	
Entry channel	
Width:	339°
Ancho:	200 to 300 m
Length:	15,000 m
Water depth at M.L.W.S:	13 m*
Nature of the seabed :	Sand and sludge

\* The draft of the project is updated with the bathymetries that are being carried out in the port

Entry access	
Orientation:	339°
Width:	300 m
Draught at M.L.W.S:	13 m*
Maximum recorded current:	5 knots

\* The draft of the project is updated with the bathymetries that are being carried out in the port

### Use of tugs for entry and exit

In accordance with the current Rules for Entry, Exit, Docking and Undocking at the Port of Huelva, published in the Official Gazette of the Province of Huelva No. 201 on October 23, 2006, the mandatory use of tugs in normal conditions is dependent on the length of the vessel and the nature of the freight, rather than the value of its GT.

Thus, the attendance of tugs will be mandatory when it comes to manoeuvring vessels of more than 90 m in length, carrying hazardous freight classified under classes 1, 2, 3 or 4 of the IMDG Code, those included in Article 15 of Royal Decree 145/89, approving the National Regulations for the Admission, Handling and Storage of Hazardous Freight in Ports, and substances not included in the sections above, which are considered hydrocarbons as defined in Article 1.2 of Royal Decree 253/2004, of February 13, establishing measures to prevent and combat pollution in the loading, unloading and handling of hydrocarbons in the maritime and port environment.

Largest vessels to have entered in the last year				
Features	Greatest length		Greatest draught	
	AREA 1	AREA 2	AREA 1	AREA 2
Name	FEDOR LITKE	LA SEINE	FEDOR LITKE	NORDIC FREEDOM
Nationality	CHIPRE	MALTA	CHIPRE	BAHAMAS
Gross tonnage (G.T.)	128,806	116,542	128,806	83,594
Dead weight tonnage (D.W.T.)	96,839	93,200	96,839	159,331
Length	299	299	299	274
Draught	13	12.52	13	15.7
Type	Transport of liquefied gas	Bulk carriers	Dry bulk materials	Chemical products transport
Real entry or exit draught	11.9	11.7	11.9	9.3

Flotation surface area (Ha)					
Area I					
Location	Outer harbour	Docks			Total
		Commercial	Fishing	Others	
Entry channel	366.70				366.70
Outer dock		379.90			379.90
Inner dock		239.50	16.50	5.20	261.20
Others				1,084.31	1,084.31
<b>Total Area I</b>	<b>366.70</b>	<b>619.40</b>	<b>16.50</b>	<b>1,089.51</b>	<b>2,092.11</b>

Flotation surface area (Ha)					
Area II					
Location	Access	Anchorage area	Others	Total	
Crude oil terminal buoy		113.00		113.00	
Others			7,296.04	7,296.04	
<b>Total Area II</b>		<b>113.00</b>	<b>7,296.04</b>	<b>7,409.04</b>	

## Facilities at the service of maritime trade

### Quays and berths

#### CLASSIFICATION BY DOCKS

Service	Length (m)	Draught (m)	Width(m)	Used for
Ingeniero Juan Gonzalo Quay	942	13	230	General freight and bulk materials
Ciudad de Palos Quay	492	13	320	General freight and bulk materials
Levante South Quay	400	8	80	General freight and passengers
Levante Centre Quay	90	8	80	Local passengers and auxiliary
Levante North Quay	710	8	80	Fishing and inner traffic
Arenillas Tower Oil Tanker Quay	460	12.6		Bulk liquid (2 berths)
Ore Quay	374	13	50	General freight and bulk materials
South Quay	750	13	300	Passengers, general freight, RO-RO and containers

Tharsis Quay	280	-	-	Out of service
Mooring buoys - North	200	7	-	
Mooring buoys - Centre	200	6	-	
Mooring buoys - South	150	5	-	
<b>TOTAL FOR SERVICE</b>	<b>5,048</b>			
<b>Private</b>	<b>Maximum permitted length (m)</b>	<b>Draught (m)</b>	<b>Width (m)</b>	<b>Used for</b>
New Huelva Shipyard Quay	337	-	-	Weapons, repairs and scrap
Riotinto quay	390	-	-	Out of service
Fertiberia, S.L. (Phosphoric acid/compounds) jetty	180	8.10	-	Bulk liquid
Atlantic Copper, S.L.U. jetty North	140	6.50	-	Bulk liquids
Fertiberia, S.L. (Fertiliser) jetty	150	8.10	-	Bulk liquids and solids
Impala Terminal	550	14	-	Bulk solids
Levantino-Aragonesa de Tránsitos, S.A.	120	9.70	-	Bulk liquids
Atlantic Copper, S.L.U TNP 1 jetty	175	10	-	Bulk liquids
Atlantic Copper, S.L.U. jetty TNP 2	160	8	-	Bulk liquids
Saltés quay	200	5.50	-	Weapons, repairs and scrap
Reina Sofía E de CEPSA jetty	190	10	-	Bulk liquids
Reina Sofía C de CEPSA jetty	128	8.5	-	Bulk liquids
Reina Sofía W de CEPSA jetty	150	9	-	Bulk liquids

Reina Sofía 4º CEPSA BERTH jetty	210	12	-	Bulk liquids
Enagas, S.A. jetty	305	12	-	Bulk liquids
Decal North jetty	210	11.50	-	Bulk liquids
Decal South jetty	210	12.50	-	Bulk liquids
Decal-Gabarras jetty	82	9	-	Fuel supplies
Royal Maritime Club of Huelva	8	2	-	Various
La Rábida quay	20	2	-	Auxiliary (1 berth)
Single buoy	275	16.50	-	Bulk liquids
<b>TOTAL FOR INDIVIDUALS</b>	<b>4,190</b>			
<b>TOTAL</b>	<b>9,238</b>			

## CLASSIFICATION BY USES AND DRAUGHT

Empleos	Linear metres with draught "C" (m)						C<4
	C ≥ 12	12 > C ≥ 10	10 > C ≥ 8	8 > C ≥ 6	6 > C ≥ 4	Total	
Service							
Commercial docks							
General conventional freight		-	-		-	-	-
Containers	-		-	-	-	-	-
RO-RO berths	-		-	-	-	-	-
Bulk solids without special installation	-	-	-	-	-	-	-

Empleos	Linear metres with draught "C" (m)						C<4
	C ≥ 12	12 > C ≥ 10	10 > C ≥ 8	8 > C ≥ 6	6 > C ≥ 4	Total	
Bulk solids via special installation	-	-	-	-	-	-	-
Bulk liquids	460	-	-	-	-	460	-
Multi-purpose	2,558	-	-	400	-	2,958	-
Passengers	-	-	-	90	-	90	-
<b>Other quays</b>							
Fishing	-	-	-	710	-	710	-
Weapons, repairs and scrap	-	-	-	-	-	-	-
Service buoys	-	-	-	400	150	550	-
Various	-	-	-	-	280	280	-
<b>TOTAL FOR SERVICE</b>	<b>3,018</b>		<b>-</b>	<b>1,600</b>	<b>430</b>	<b>5,048</b>	<b>-</b>
Private							
<b>Commercial docks</b>							
General conventional freight	-	-	-	-	-	-	-
Containers	-	-	-	-	-	-	-
RO-RO berths	-	-	-	-	-	-	-
Bulk solids without a special installation	-	-	-	-	-	-	-
Bulk solids via a special installation	550	-	150	-	-	700	-
Bulk liquids	1,000	575	820	140	-	2,535	-
Multi-purpose	-	-	-	-	-	-	-
Passengers	-	-	-	-	-	-	-



Empleos	Linear metres with draught "C" (m)						C<4
	C ≥ 12	12 > C ≥ 10	10 > C ≥ 8	8 > C ≥ 6	6 > C ≥ 4	Total	
<b>Other quays</b>							
Fishing	-	-	-	-	-	-	-
Weapons, repairs and scrap	-	-	-	-	337	337	-
Various	-	-	-	-	590	590	28
<b>TOTAL FOR PRIVATE</b>	<b>1,550</b>	<b>575</b>	<b>970</b>	<b>140</b>	<b>927</b>	<b>4,162</b>	<b>28</b>
<b>TOTAL FOR SERVICE AND PRIVATE</b>	<b>4,568</b>	<b>575</b>	<b>970</b>	<b>1,740</b>	<b>1,357</b>	<b>9,210</b>	<b>28</b>

### Land and storage areas (m<sup>2</sup>)

Land and storage areas (m <sup>2</sup> )	Designation	Warehouses			Roads	Others	Total
		Uncovered	Covered and open	Closed			
	<b>Poligono Pesquero Norte (North Fishing Industrial Estate)</b>				54,744	215,290	270,034
	Concessions					141,174	
	Others					74,116	
	Communications and services				54,744		

Land and storage areas (m <sup>2</sup> )	Designation	Warehouses			Roads	Others	Total
		Uncovered	Covered and open	Closed			
<b>Levante:</b>	<b>Levante quay and surroundings</b>	24,4		2,76	60,454	173,002	260,616
	Warehouse 1			1,56			
	Warehouse 2			1,2			
	Storage Area	24,4					
	Concessions					9,605	
	Others					163,397	
	Communications and services				60,454		
	<b>Cross streets and Punta del Sebo</b>				352,198	2,445,434	2,797,632
	Concessions					1,396,289	
	Others					1,049,145	
	Communications and services				352,198		
	<b>Outer Port</b>	493,377		192,170	777,164	2,303,164	3,765,875
<b>Ing. Juan Gonzalo:</b>				16,720.			
	Warehouse 1			3,6			
	Warehouse 2			4,760			
	Warehouse 3			3,6			
	Warehouse 4			4,760			

Land and storage areas (m <sup>2</sup> )	Designation	Warehouses			Roads	Others	Total
		Uncovered	Covered and open	Closed			
Storage area		95,730					
Atlantic Copper, S.L.U.(C-1187 and C-1348)				11,498			
Bergé Marítima, S.L. (C-1409)		37,853					
ImpalaTerminals Huelva, S.L.U. (C-1309)		81,537		39,400			
<b>Ciudad de Palos</b>							
Storage area		90,000					
<b>South Quay</b>							
Storage area		100,000					
Concasa Huelva, S.L.		52,000					
<b>Outer port (outside the docks)</b>							
	Terminal Marítima de Huelva, S.L. (C-1151)			52,318			
	Servimad (C-968)			11,170			
	Bergé & Cía. S.A. (C-973)			6,484			
	Bergé Marítima, S.L. (C-1144 Y C-1045)			44,643			

Land and storage areas (m <sup>2</sup> )	Designation	Warehouses			Roads	Others	Total
		Uncovered	Covered and open	Closed			
	García-Munté Energía, S.L. (C-1110)	33,080					
	Congrasur (C-1048)			6,937			
	Bergé Marítima, S.L. (C-1210)	3,177		3,000			
	Concessions					1,575,200	
	Others					727,964	
	Communications and services				777,164		
	<b>Marismas del Odiel (River Odiel Marshes)</b>				770,378	4,841,677	5,612,055
	Concessions					211,873	
	Others					4,629,804	
	Communications and services				770,378		
	<b>Marismas del Tinto (River Tinto Marshes)</b>				501,937	3,933,067	4,435,004
	Concessions					103,420	
	Others					3,829,647	
	Communications and services				501,937		
		<b>517,777</b>		<b>194,930</b>	<b>2,516,875</b>	<b>13,911,634</b>	<b>17,141,216</b>

## Cold stores and ice factories

Location	Description	Owner	Storage capacity (m3)	Observaciones
Avda. Fco. Montenegro, 1. <sup>a</sup> Transversal (Cross street)	Refrigerated warehouse	Frigoríficos El Retorno, S.L.	9,000	Storage from -18° to -20°. Various
Pesquero Norte Industrial Estate	Refrigerated warehouse	Expromar, S.A.	2,400	Storage: -18°. Various
Pesquero Norte Industrial Estate	Refrigerated warehouse	Distribumar, S.L.	500	Refrigeration and freezing chambers
Pesquero Norte Industrial Estate	Freezing chamber	Mariscos Méndez, S.A.	770	Freezing chamber
Polígono Finca Villafría	Refrigerated warehouse	Dimarosa	51,000	Refrigeration and freezing chambers
Polígono Finca Villafría	Refrigerated warehouse	Krustagroup	29,000	-24° with shelves for 5,000 europallets. Storage chamber: 0° (572 m <sup>3</sup> )
Pesquero Norte Industrial Estate	Ice factory	Hielos Costa de la Luz	No details	In operation

## Maritime terminals

Location	Owner	Traffic	Surface area (m2)
South Quay	Balearia Eurolíneas Marítimas, S.A.	Huelva – Canary Islands	150.00
South Quay	FRS (Förde Reederei Seetouristik Iberia, S.L.)	Huelva – Canary Islands	259.32

## Fishing installations

Type of installation		Location	Surface area m <sup>2</sup>
Fish market	Auction area	Levante Quay	882
	Traffic area	Levante Quay	500
	Offices for sellers	Levante Quay	48
Premises for exporters	Levante Quay	0	0
Levante Quay areas	Levante Quay	44,000	44.000
Areas for shipowners	Pesquero Norte Industrial Estate	180,000	180.000
Premises for exporters	Pesquero Norte Industrial Estate	1,977	1.977

## Buildings and installations for public use


Location	Owner	Use	Characteristics
Avda. Hispanoamérica- Calle Sanlúcar de Barrameda	Ministry of Defence	Naval Command	1,698 m <sup>2</sup> on 2 floors
Avda. Real Sociedad Colombina Onubense	A.P.H.	A.P.H. main office	2,460 m <sup>2</sup> on 3 floors
Avda. Hispanoamérica and Calle Sanlúcar de Barrameda	A.P.H.	A.P.H. offices, Harbourmaster's Office, Port Services Control Centre, SASEMAR, The Port of Huelva Stevedoring Society, Civil Guard, Health Control at Borders	2,808.31 m <sup>2</sup> on 3 floors (3 buildings)
Levante Quay	A.P.H.	Huelvaport	16.70 m <sup>2</sup>
Levante Quay	A.P.H.	Commercial Department Office	223.30 m <sup>2</sup>

Location	Owner	Use	Characteristics
Levante Quay	A.P.H.	Office of the Storage, Facilities and Ground Operations Division	240 m2 on 2 floors
Levante Quay	A.P.H.	Customs Unit	72 m2 on 1 floor
Levante Quay	A.P.H.	Guardia Civil Control Post	11.95 m2
Levante Quay	A.P.H.	Premises (3) of the maritime service of the State Tax Administration Agency	48.8 m2
Levante Quay	A.P.H.	Premises (4) of the General Directorate of the Civil Guard	65.07 m2
Avenida de Hispanoamérica	A.P.H.	Port parking facilities	665 m2 on 1 floor
Avenida de Hispanoamérica	A.P.H.	Port of Huelva Reception and Documentation Centre	875 m2 on 1 floor
Avda. Fco. Montenegro	A.P.H.	Huelva-2000 building	708 m2 on 3 floors
Oil Tanker Quay	A.P.H.	Civil Guard Control Post	6.63 m2
Arenillas Tower	A.P.H.	Central Control Tower	800 m2 on 4 floors
Arenillas Tower	A.P.H.	Treatment plant	1,500 m2 for storage
Outer Port	A.P.H.	Old A.P.H. workshops	5,484 m2 (1,106 m2 covered)
Ingeniero Juan Gonzalo Quay	A.P.H.	Civil Guard Control Post	11.95 m2
South Quay	A.P.H.	Customs	180.40 m2 on 1 floor
South Quay	A.P.H.	Phytosanitary Control	1,776.82 m2
Mazagón	A.P.H.	Civic building (Casa Vigia - Observation house)	240 m2 on 2 floor

## Moles

Description	Lenght(m)	Characteristics
Juan Carlos I, King of Spain mole	13,000	Flow-over type, made of quarry stone, layers of rockfill with edges up to 9 tonnes and parallelepiped concrete blocks up to 4.5 m <sup>3</sup>

## Schematic map of lighthouses and beacons



[See General Map of the Port of Huelva](#)

It is necessary to install the Google Earth application to visualize it. The Port Authority of Huelva is solely responsible for updating the contents referring to the beaconing of its service area.

## Relationship of lighthouses and beacons

Number	Name and position	Description	Colour	Rhythm	Range in miles
8730	River Odiel, Cardinal direction: west	Castillete	B	9 Ct	5
8740	River Odiel n.º 1	Triangular marker	V	D	4
8750	River Odiel n.º 2	Cylindrical marker	R	D	4
8760	River Odiel n.º 3	Triangular marker	V	Gp. D (2)	3
8770	River Odiel n.º 4	Cylindrical marker	R	Gp. D (2)	3
8780	River Odiel n.º 5	Triangular marker	V	Gp. D (3)	3
8790	River Odiel n.º 6	Cylindrical marker	R	Gp. D (3)	3
8800	River Odiel Fork No. 7	Triangular marker	V	Gp. D 2+1	3
8810	River Odiel n.º 8	Cylindrical marker	R	Gp. D (4)	4



Number	Name and position	Description	Colour	Rhythm	Range in miles
8722	Day/night leading lights	Cylindrical/ conical tower	VBR	Sectorial	D 5,9 / N 8
8820	River Odiel n.º 9	Triangular marker	V	D	3
8830	River Odiel n.º 10	Cylindrical marker	R	D	3
8840	River Odiel n.º 11	Triangular marker	V	Gp. D (2)	3
8850	River Odiel n.º 12	Cylindrical marker	R	Gp. D (2)	3
8855	Vigia submerged breakwater	Castillete	B	Gp. D (2)	3
8870	River Odiel n.º 13	Triangular marker	V	Gp. D (3)	3
8880	River Odiel n.º 14	Cylindrical marker	R	Gp. D (3)	3
8890	River Odiel n.º 15	Triangular marker	V	1 D	3
8900	River Odiel n.º 16	Cylindrical marker	R	Gp. D (4)	3
8905.2	South Mooring Buoy - South port-side	Special marker	A	1 D	1
8905.4	South Mooring Buoy - South starboard-side	Special marker	A	1 D	1
8905.6	South Mooring Buoy - North port-side	Special marker	A	1 D	1
8905.8	South Mooring Buoy - North starboard-side	Special marker	A	1 D	1
9810.1	River Odiel n.º 18	Cylindrical marker	R	1 D	3
8911.2	Centre Mooring Buoy - South port-side	Special marker	A	Gp. D (4)	1
8911.3	Centre Mooring Buoy - South starboard-side	Special marker	A	Gp. D (4)	1
8911.4	Centre Mooring Buoy - North port-side	Special marker	A	Gp. D (4)	1

Number	Name and position	Description	Colour	Rhythm	Range in miles
8911.5	Centre Mooring Buoy - North starboard-side	Special marker	A	Gp. D (4)	1
8925.2	North Mooring Buoy - South port-side	Special marker	A	Gp. D (5)	1
8925.4	North Mooring Buoy - South starboard-side	Special marker	A	Gp. D (5)	1
8925.6	North Mooring Buoy - North port-side	Special marker	A	Gp. D (5)	1
8925.8	North Mooring Buoy - North starboard-side	Special marker	A	Gp. D (5)	1
8940	River Odiel n.º 20	Cylindrical marker	R	Gp. D (2)	3
8975	River Odiel n.º 22	Cylindrical marker	R	Gp. D (3)	3
*8945	River Odiel n.º 20 M1	Special marker	A	1 D	1
*8950	River Odiel n.º 20 M2	Special marker	A	1 D	1
9010	River Odiel n.º 24	Cylindrical marker	R	4 D	3
9005	River Odiel n.º 26	Cylindrical marker	R	3 D	3
9070	River Odiel n.º 28	Cylindrical marker	R	4 D	3
***9040.2	South buoy	Special marker	A	1 D	1
***9040.3	North-east buoy	Special marker	A	1 D	1
***9040.4	North-west buoy	Special marker	A	1 D	1
9060	Puente del Burro Fork No. 34	Cylindrical marker	R	Gp. D (2+1)	3
8700	Picacho lighthouse	Octagonal tower	B	Gp. D (2+4)	25
8710	Morro dike lighthouse	Cylindrical tower	B & R	Gp. D (3+1)	10
8570	El Rompido lighthouse	Cylindrical tower	B	Gp. D (2)	24

Number	Name and position	Description	Colour	Rhythm	Range in miles
9175	Matalascañas lighthouse (Higuera)	Triangular tower	B	Gp. D (3)	20
8670	Crude oil unloading buoy	Special marker	A	Gp. D (4)	8
8680	Buoy 1 oil pipeline	Special marker	A	Gp. D (4)	5
8685	Buoy 2 oil pipeline	Special marker	A	Gp. D (4)	5
8690	Buoy 3 oil pipeline	Special marker	A	Gp. D (4)	5
8692	Buoy 4 oil pipeline	Special marker	A	Gp. D (4)	5
8694	Buoy 5 oil pipeline	Special marker	A	Gp. D (4)	5
8860	Casa Vigia (Observation House) Beacon	Post with special marker	A	D	1
8886	South Quay Beacon - North	Beacon on a support structure	V	Gp. D (4)	3
8882	South Quay Beacon - Centre	Beacon on a support structure	V	Gp. D (4)	3
8881	South Quay Beacon - South	Beacon on a support structure	V	Gp. D (4)	3
8881,1	Duque Alba South Quay Beacon	Beacon on a support structure	A	D	3
8912	Decal Jetty Beacon	Post with a beacon	V	Gp. D (2)	3
8914	Decal Jetty Beacon	Post with a beacon	V	Gp. D (2)	3
8918	Decal Jetty Beacon - North	Post with a beacon	V	Ct	3
8960	Reina Sofia Jetty Beacon	Post with a beacon	V	Gp. D (3)	3
8963	Reina Sofia Jetty Beacon	Post with a beacon	V	Gp. D (3)	3
8965	Reina Sofia Jetty Beacon	Post with a beacon	V	Gp. D (3)	3
8915	Fenosa Emissary Beacon	Post with a limit marker	A	Ct	1

Number	Name and position	Description	Colour	Rhythm	Range in miles
8970	Enagas Jetty Beacon	Post with a beacon	V	Gp. D (4)	3
8972	Enagas Jetty Beacon	Post with a beacon	V	Gp. D (4)	3
8977	FORET Jetty	Post with a beacon	V	D	3
8977,1	FORET Jetty	Post with a beacon	V	D	3
8980	Atlantic Jetty - South	Post with a beacon	V	Gp. D (2)	3
8981	Atlantic Jetty - Outer	Post with a beacon	V	Gp. D (2)	3
8985	Ercross-Atlantic Copper Jetty	Post with a beacon	V	Gp. D (3)	3
8990	Ercross-Atlantic Copper Jetty	Post with a beacon	V	Gp. D (3)	3
9015	Juan Gonzalo Extension - South	Post with a beacon	V	Gp. D (4)	3
9016	Juan Gonzalo Quay	Beacon	V	1 D	3
9035	Ore Quay	Beacon	V	Gp. D	3
9040	Quay for tugs	Post with a beacon	V	Gp. D	3
9045	Oil Tanker Quay	Post with a beacon	V	Gp. D (2)	3
9047	Oil Tanker Quay	Post with a beacon	V	Gp. D (2)	3
9050	Buoy No. 30	Cylindrical marker	R	Gp. (2D)	3
9052	Buoy No. 32	Cylindrical marker	R	Gp. (3D)	3
9054	Buoy No. 17 Fork	Triangular marker	V	Gp. D (2+1)	3
9055	Yacht Club	Beacon	V	4 D	1
9055,1	Yacht Club	Beacon	V	Ct	1
9055,3	Yacht Club	Beacon	V	Gp D (2)	1
9065	Fertiberia - Fertiliser	Post with a beacon	V	D	3

Number	Name and position	Description	Colour	Rhythm	Range in miles
9067	Fertiberia - Fertiliser	Post with a beacon	V	D	3
9075	Buoy No. 36	Cylindrical marker	R	Gp. 1 D	3
9084	Atlantic Copper - North	Post with a beacon	G	Gp. D (2)	3
9086	Atlantic Copper - North	Post with a beacon	G	Gp. D (2)	3
9090	Fertiberia - Phosphoric acid/compounds	Post with a beacon	G	Gp. D (3)	3
9095	Fertiberia - Phosphoric acid/compounds	Post with a beacon	G	Gp. D (3)	3
9100	Buoy No. 38	Cylindrical marker	R	Gp. 3 D	3
9110	Buoy No. 19	Triangular marker	V	Gp. D (4)	3
9120	Tinto Quay	Beacon	V	D	3
9121	Buoy No. 40	Cylindrical marker	R	D	3
9122	Jetty for official launches	Beacon	V	Gp. D (2)	1
9122,5	Jetty for official launches	Beacon	V	Gp. D (2)	1
9123,1	Buoy R1	Special marker	A	D	3
9123,2	Buoy R2	Special marker	A	D	3
9125	Levante Centre Quay	Beacon	V	Gp. D (3)	3
9135	Tharsis Quay	Beacon	R	Gp. D (4)	3
9025	Saltés Quay	Beacon	R	D	3
9170	La Rábida Quay	Post with a beacon	V	Ct	1
9155	Tinto Bridge	Beacon	V	Ct	1
9150	Tinto Bridge	Beacon	R	Ct	1
9160	Tinto Bridge	Beacon	R	Ct	1

Number	Name and position	Description	Colour	Rhythm	Range in miles
9145	Tinto Bridge	Beacon	V	Ct	1
8665	Burro Bridge	Beacon	V	Ct	1
8665,1	Burro Bridge	Beacon	R	Ct	1
8665,2	Burro Bridge	Beacon	V	Ct	1

\*Delimits the manoeuvring area to turn Enagas vessels around

\*\*\* Old Ore Quay turn-around area

## Installations for vessels

<b>Dry docks</b>	Not applicable
<b>Floating docks</b>	Not applicable
<b>Slipways</b>	Not applicable
<b>Shipyards</b>	New Huelva Shipyard, S.A.

## Vessel supply services

Type of supply	SLocation	No. of outlets	Hourly capacity for each outlet	Hourly capacity of the quay	Supplier
Liquid fuels	Levante Quay	6	B15 Diesel	Diesel B 90	CEPSA Supply Station
Liquid fuels	Oil Tanker Quay	4	1,000	4,000	CEPSA
Liquid fuels	Reina Sofía Jetty	1	IFO-180	Diesel	CEPSA
Lubricant	M/T "Galileo J"	1	7	Lubricating oil	Sermalub
Liquid fuels	Oizmendi	2	600 m <sup>3</sup>	HFO/GO	Itsas Gas Bunker Supply, S.L.

Type of supply	SLocation	No. of outlets	Hourly capacity for each outlet	Hourly capacity of the quay	Supplier
Water	Levante Quay	33	17	51	Amasur, S.A.L.
Water	Oil Tanker Quay	2	17	17	Amasur, S.A.L.
Water	Ore Quay	5	17	34	Amasur, S.A.L.
Water	Ingeniero Juan Gonzalo/Ciudad de Palos Quay	38	17	51	Amasur, S.A.L.
Water	South Quay	14	17		Amasur, S.A.L.
Water	“Otani” barge	1	30		Amasur, S.A.L.

## Mechanical land resources

### Cranes

#### DOCKSIDE CRANES

Location	Owner	Nº	Make	Type	Power	Force	Height above the MLWS	Container throughput/hour	Year
South Quay	Yilport Huelva	1	Paceco	Panamax containers	Electrical	30-40	31	20-22	1984
South Quay	Yilport Huelva	1	Paceco	PostPanamax containers	Electrical	40-50	36	21-24	1990

## MOBILE CRANES

Location	Owner	N°	Make	Type	Power	Force	Height above the MLWS	Throughput tonnes/hour	Year
Ingeniero Juan Gonzalo/ Ciudad de Palos	Bergé	2	Liebherr LHM 400	Mobile	Diesel fuel	52	45	700	2002
Ingeniero Juan Gonzalo/ Ciudad de Palos	Algeposa	1	Liebherr LHM 400	Mobile	Diesel fuel	52	45	600	1996
Ingeniero Juan Gonzalo/ Ciudad de Palos	Algeposa	1	Liebherr LHM 500	Mobile	Diesel fuel	52	48	700	2004
Ingeniero Juan Gonzalo/ Ciudad de Palos	Algeposa	1	Liebherr LHM 600	Mobile	Diesel fuel	74	45	900	2007
Ingeniero Juan Gonzalo/ Ciudad de Palos	Ership	1	Gottwald HMK 8210B	Mobile	Diesel fuel	80	46,6	970	2001
Ingeniero Juan Gonzalo/ Ciudad de Palos	Ership	1	Gottwald HMK 330	Mobile	Diesel fuel	63	47	1,500	2006
Ingeniero Juan Gonzalo/ Ciudad de Palos	Ership	1	Gottwald HMK 6407B	Mobile	Diesel fuel	100	50	1,112	2013



## NUMBER OF CRANES SUMMARY

Type	Service	Private	Total
Gantry			
Up to 6 tonnes			
Between 7 and 12 tonnes			
Between 13 and 16 tonnes			
Over 16 tonnes			
		2	2
Mobile	0	10	10
<b>Total</b>	<b>0</b>	<b>12</b>	<b>12</b>

## Special loading and unloading installations

Location	Owner	Characteristics	Year of manufacture
Decal España (lighters) jetty	DECAL ESPAÑA, S.A.	<ul style="list-style-type: none"> <li>Total length L 84.93 m</li> <li>Dead weight 5,000 tonnes</li> <li>Beam B 16.00 m</li> <li>Max. draught when loaded 6.00 m</li> <li>Displacement when loaded P 6,800 tonnes</li> <li>A docking and loading/unloading platform</li> <li>Two berthing dolphins</li> <li>Pedestrian walkways with pipe support</li> <li>Berthing fenders</li> <li>Quick release mooring hooks</li> </ul>	2008
'Fertiberia, S.L. (Phosphoric acid/compounds) jetty	A.P.H	<ul style="list-style-type: none"> <li>Throughput: Loading phosphoric acid - 200 to 250 tonnes/hour</li> <li>The company currently using this is Fertiberia S.L.</li> </ul>	1975
Atlantic Copper, S.L.U. north jetty	ATLANTIC COPPER, S.L.U.	<ul style="list-style-type: none"> <li>One 14" pipeline for loading sulphuric acid</li> <li>Throughput depending on the vessel</li> </ul>	2010

Location	Owner	Characteristics	Year of manufacture
Fertiberia, S.L. (Fertiliser) jetty	A.P.H.	<ul style="list-style-type: none"> <li>An ammonia pipeline (loading/unloading) 200 to 250 tonnes/hour</li> </ul>	1966
		<ul style="list-style-type: none"> <li>Conveyor belt for loading (NPK, DAP, MAP fertilisers) 300 to 400 tonnes/hour</li> <li>The company currently using this is Fertiberia S.L.</li> </ul>	1999
Single buoy crude oil terminal	CEPSA	<ul style="list-style-type: none"> <li>Draught: 16.50 m 3,800 tonnes/hour</li> </ul>	1966
Arenillas Tower Oil Tanker Quay	A.P.H.	<ul style="list-style-type: none"> <li><b>En cada atraque, 8 brazos de carga</b></li> <li><b>South berth:</b> 5 loading arms 1 arm for deballasting 1 arm for loading liquefied gases 1 loading arm for vapour</li> <li><b>Berth N:</b> 5 loading arms 1 arm for deballasting 1 loading arm for benzene 1 loading arm for cyclohexane</li> <li><b>Throughput:</b> Heavy products and medium distillates: 1000 m<sup>3</sup>/h Benzene and cyclohexane: 250 m<sup>3</sup>/h Liquefied gases: 250 m<sup>3</sup>/h Gasoline/petrol: 700 m<sup>3</sup>/h</li> <li><b>The only company using this installation at present is Cepsa</b></li> </ul>	1966
Pantalán de Atlantic Copper, S.L.U. TNP-2	ATLANTIC COPPER, S.L.U.	<ul style="list-style-type: none"> <li><b>Throughput:</b> 200 mm pipeline for sulphuric acid or 250 m<sup>3</sup>/h</li> </ul>	1975
Reina Sofía Jetty	CEPSA	<ul style="list-style-type: none"> <li><b>Berth E:</b> 2 x 12" lines for benzene and ballast 4 x 14" lines for fuel oil, asphalt, vegetable oil and biodiesel 6 x 8" lines for phenol, acetone, propylene, methanol, soda and benzene 1 x 4" line for return 1 x 10" line for Petroso</li> <li><b>Berth O:</b> 2 14" lines for fuel oil and asphalt 8" arm on East berth - 1 x 12" line for ballast 8" arm on West berth - 4 x 8" lines for phenol, acetone, propylene and cumene 1 x 4" line for return 1 x 4" line for return</li> <li><b>Berth C:</b> 1 x 10" line for ethanol Two 6" loading arms on West berth - 1 x 8" line for methanol</li> <li><b>4th Berth:</b> x 12" lines for VGO, ballast and naphtha 4 x 14" lines for fuel oil, asphalt, vegetable oil and biodiesel Throughput depending on the vessel</li> </ul>	1976

Location	Owner	Characteristics	Year of manufacture
Levantino-Aragonesa de Tránsitos, S.A. jetty	Levantino Aragonesa de Tránsitos, S.A.	<ul style="list-style-type: none"> <li>One 8" pipeline for unloading phosphoric and sulphuric acid</li> <li>Throughput depending on the vessel</li> </ul>	1981
Atlantic Copper, S.L.U. jetty TNP-1	ATLANTIC COPPER, S.L.U.	<ul style="list-style-type: none"> <li>One 14" pipeline for loading/unloading sulphuric acid and caustic soda</li> <li>Throughput depending on the vessel</li> </ul>	1984
South Quay	A.P.H.	<ul style="list-style-type: none"> <li>One Roll-On Rol-Off ramp for vessels</li> <li>Capacity: 2 vessels. Width: 27.51 m. Length: 50.40 m</li> </ul>	1987
Enagas, S.A. jetty.	ENAGAS, S.A.	<ul style="list-style-type: none"> <li>Two arms for unloading LNG at 2,000 m<sup>3</sup>/h c.u.</li> <li>Arm for handling LPGCuatro brazos de 16" de GNL</li> <li>Four 16" arms for LNG</li> <li>One loading arm for vapour return</li> </ul>	1988
Decal España North jetty	DECAL ESPAÑA, S.A.	<ul style="list-style-type: none"> <li>Five arms for loading/unloading liquid fuels</li> <li>One of 1.250 m<sup>3</sup>/h for diesel fuel</li> <li>One of 750 m<sup>3</sup>/h for gasoline/petrol</li> <li>One of 800 m<sup>3</sup>/h for cyclohexane</li> <li>One of 1,250 m<sup>3</sup>/h for oil</li> <li>One 600 m<sup>3</sup>/h hose for methanol</li> </ul>	1995
Decal España South jetty	DECAL ESPAÑA, S.A.	<ul style="list-style-type: none"> <li>Five arms for loading/unloading liquid fuels</li> <li>One of 1.250 m<sup>3</sup>/h for diesel fuel</li> <li>One of 1,250 m<sup>3</sup>/h for oil</li> <li>One of 1,250 m<sup>3</sup>/h for methyl ester</li> <li>One of 1,250 m<sup>3</sup>/h for fuel</li> <li>One of 600 m<sup>3</sup>/h for methanol</li> </ul>	2009
Impala quay	IMPALA TERMINALS HUELVA, S.L.	<ul style="list-style-type: none"> <li>Length: 240 m</li> <li>Conveyor belts for loading/unloading metal concentrates of 1000 tonnes/hour.</li> </ul>	2015

## Auxiliary material for loading, unloading and transportation

Material Type	Owner	N.º	Power used	Characteristics
Conveyor Belt Feedera	Bergé	1	Electrical	350m <sup>3</sup>
Forklift trucks	Bergé	1	Diesel fuel	12 tonnes
Forklift trucks	Ership	1	Diesel fuel	3 tonnes
Forklift trucks	Ership	1	Diesel fuel	3,5 tonnes
Forklift trucks	Ership	1	Diesel fuel	7 tonnes
Forklift trucks	Ership	1	Diesel fuel	8 tonnes
Conveyor belts	Bergé	1	Electrical	500 tonnes/hour
Conveyor belts	Bergé	2	Electrical	TAIM-TFG
Automatic Clamshell Buckets	Ership	13		
Automatic Clamshell Buckets	Bergé	2		40 m <sup>3</sup>
Automatic Clamshell Buckets	Bergé	1		35 m <sup>3</sup>
Automatic Clamshell Buckets	Servimad	3		6.6 m <sup>3</sup>
Automatic Clamshell Buckets	Servimad	3		8.8 m <sup>3</sup>
Loaders	Servimad	1	Diesel fuel	950G
Loaders	Bergé	1	Diesel fuel	L35B
Loaders	Bergé	1	Diesel fuel	L70D
Loaders	Bergé	1	Diesel fuel	L70E
Loaders	Bergé	1	Diesel fuel	L70F
Loaders	Bergé	1	Diesel fuel	L180E
Automatic grab bucket	Bergé	1		40m <sup>2</sup>
Bulk hopper	Ership	2	Electrical	150 tonnes

Material Type	Owner	N.º	Power used	Characteristics
Bulk hopper	Bergé	2	Electrical	150 tonnes
Bulk hopper	Bergé	2	Electrical	300 tonnes
Bulk hopper	Bergé	2	Diesel Fuel	L150F
Bulk hopper	Bergé	7	Diesel Fuel	L180H
Bulk hopper	Bergé	1	Diesel Fuel	L110F
Bulk hopper	Ership	9	Diesel Fuel	L150G
Bulk hopper	Ership	3	Diesel Fuel	L110G
Conveyor Belt Feeder	Congrasur	1	Electrical	350m132
Conveyor belts	Congrasur	1	Electrical	600 tonnes/h
Conveyor belts	Congrasur	1	Electrical	900 tonnes/h
Loaders	Congrasur	2	Diesel Fuel	L150H
Loaders	Congrasur	2	Diesel Fuel	L120H
Loaders	Congrasur	1	Diesel Fuel	L120E
Loaders	Congrasur	1	Diesel Fuel	L180C
Loaders	Congrasur	1	Diesel Fuel	L120G
Forklift trucks	Algeposa	1	Diesel Fuel	5 tonnes
Forklift trucks	Algeposa	1	Diesel Fuel	40 tonnes
Automatic Clamshell Buckets	Algeposa	1		70m3
Automatic Clamshell Buckets	Algeposa	1		52m3
Automatic Clamshell Buckets	Algeposa	1		47.5m3
Automatic Clamshell Buckets	Algeposa	1		42.5m3
Automatic Clamshell Buckets	Algeposa	1		33m3
Automatic Clamshell Buckets	Algeposa	1		28m3
Automatic Clamshell Buckets	Algeposa	1		23.5m3

Material Type	Owner	N.º	Power used	Characteristics
Automatic Clamshell Buckets	Algeposa	1		16m3
Automatic Clamshell Buckets	Algeposa	1		12m3
Loaders	Algeposa	1	Diesel Fuel	L90E
Loaders	Algeposa	1	Diesel Fuel	L150E
Loaders	Algeposa	1	Diesel Fuel	L150E
Loaders	Algeposa	1	Diesel Fuel	L120C
Loaders	Algeposa	1	Diesel Fuel	L180E
Loaders	Algeposa	1	Diesel Fuel	L120D
Loaders	Algeposa	1	Diesel Fuel	L220E
Loaders	Algeposa	1	Diesel Fuel	L180F
Loaders	Algeposa	1	Diesel Fuel	L110F
Automatic Clamshell Buckets	Algeposa	1		40 m3
Automatic Clamshell Buckets	Algeposa	1		8 m3
Backhoe loader	Algeposa	1	Diesel Fuel	40 MTC
Hydraulic hopper	Algeposa	1	Electrical	50 tonnes
Tractor unit	Yilport Huelva	9	Diesel Fuel	450 CV
Forklift trucks	Yilport Huelva	1	Diesel Fuel	16 tonnes
R.Stacker	Yilport Huelva	5	Diesel Fuel	CS45

## Other auxiliary material

Material Type	Owner	N.º	Power used	Characteristics
Sweeper	Ership	1	Diesel fuel	2500ACH
Drum Loader	Zalviport	1	Diesel fuel	
Lifting Platform	Ership	2	Diesel fuel	HA 16 DX
Towing Platform	Yilport Huelva	8		
Articulated Platform	Algeposa	1	Electrical	50 tonnes
Lifting Platform	Bergé	1	Electrical	20PX
Lifting Platform	Zalviport	1	Electrical	6x4 m <sup>3</sup>
Lifting Platform	Zalviport	1	Electrical	3x4 m <sup>3</sup>
Electric Pallet Truck	Zalviport	7	Electrical	2 tonnes
Sundry vehicles	Bergé	1	Diesel fuel	Automatic

## Floating equipment

### Dredgers

Not applicable.

### Tugs

Name	Owner	Power used	Length (m)	Beam (m)	Draught (m)	Power (HP)	Year of manufacture
V.B. Cierzo	Auxmasa - G. Boluda	Diesel fuel	29.50	11.00	4.00	5,230	2002
V.B. Bora	Auxmasa - G. Boluda	Diesel fuel	29.50	11.00	4.00	5,230	2001
V.B. Huelva	Auxmasa - G. Boluda	Diesel fuel	29.50	11.00	4.00	4,080	1995
V.B. Talisman	Auxmasa - G. Boluda	Diesel fuel	32.50	11.50	4.00	5,163	2000
Sertosa Cinco	Auxmasa - G. Boluda	Diesel fuel	26.80	7.70	3.88	2,250	1967
V.B. Bravo	Auxmasa - G. Boluda	Diesel fuel	35.50	13.00	6.70	8,150	2009
Yarcla*	Feramar Remolcadores, S.L.	Diesel fuel	15.00	5.50	2.39	550	1999
Yarcla Cinco	Feramar Remolcadores, S.L.	Diesel fuel	22.00	7.00	2.90	2,200	2000
Yarcla Quince	Feramar Remolcadores, S.L.	Diesel fuel	25.00	7.20	2.84	1,220	1963
Yarcla Diez	Feramar Remolcadores, S.L.	Diesel fuel	14.00	4.64	3.50	480	1967
Río Coa	Amarre y Desamarre Molina e Hijos, S.L.	Diesel fuel	15.87	4.67	1.62	365	1965
Gogor	Amarre y Desamarre Molina e Hijos, S.L.	Diesel fuel	26.80	7.91	3.97	2,030	1977
Aitor Uno	Amarre y Desamarre Molina e Hijos, S.L.	Diesel fuel	21.50	7.15	3.80	1,400	1978

\*Fitted with a 2.5 tonne crane..



## Dump Scows, Lighters and Barges

Name	Owner	Power used	Length (m)	Beam (m)	Draught (m)	Power (HP)	Year of manufacture
Yarcla Seis	Feramar Remolcadores, S.L.	Diesel oil		20	7.20	3.15	2005
Oizmendi	Itsas Gas Bunker Supply, S.L.	Diesel oil	1,074	80	15	5.25	2009
Galileo J.	Sermalub, S.L.	Diesel oil	194	20	5.48	2.59	1966
Cisterna Dos	Amasur, S.L.	Diesel oil	240	15	5	2.50	1978
Otani	Amasur, S.L.	Diesel oil	400	22	6.18	3.16	1979
Green Huelva	Amasur, S.L.	Diesel oil	564	19.25	8.80	2.60	2018

## Floating Cranes

Name	Owner	Power used	Characteristics	Characteristics of the work			Year of manufacture
				Force (tonnes)	Reach (m)	Height above sea (m)	
Pontodiel	Feramar Remolcadores, S.L.	Towing	Load: 250 tonnes	20	-	-	2009

## Other auxiliary floating service equipment

Name	Owner	Type	Characteristics	Year of
Punta del Sebo	Serodiel, S.L.	Catamaran	2 x 190 HP motors and length of 18.70 m	1997
Isla de Bacuta	A.P.H.	Catamaran	2 x 260 HP motors and length of 11.83 m	2004
Canoa de Punta Umbría	Tourdetania Tour, S.L.	Tourist tickets	24 m long and 6.28 m beam	
Villa de Palos	Serodiel, S.L.	Tourist tickets	2 x 102 kW motors and length of 15.33 m	1993
Galatea	Serodiel, S.L.	Auxiliary vessel	2 x 238 HP motors and length of 16 m	1979
Segundo Castillo	Amarre y Desamarre Molina	Auxiliary vessel	325 kW and length of 22 m	1993
Yarcla Cuatro	Feramar Remolcadores, S.L.	Auxiliary vessel	1 x 280 HP motor and length of 9.5 m	2007
Yarcla Siete	Feramar Remolcadores, S.L.	Auxiliary vessel	2 x 177.2 CV motors and length of 14 m	
Yarcla Once	Feramar Remolcadores, S.L.	Auxiliary vessel	2 x 550 CV motors and length of 15 m	1993
Yarcla Doce	Feramar Remolcadores, S.L.	Auxiliary vessel	2 x 275 CV motors and length of 12.5 m	
Yarcla Catorce	Feramar Remolcadores, S.L.	Auxiliary vessel	2 x 240 CV motors and length of 14 m	1994

## Land access and communications

The main routes connecting the Port of Huelva with its hinterland are as follows:

<b>A-472</b>	Sevilla-Huelva.
<b>A-49</b>	Sevilla-Huelva-Ayamonte (motorway).
<b>A-492</b>	Aljaraque –N-431.
<b>N-431</b>	Huelva-Portugal (via Ayamonte).
<b>N-435</b>	Badajoz-Huelva.
<b>N-442</b>	Huelva-Mazagón.
<b>H-624</b>	From the Outer Port to San Juan del Puerto, bypassing Palos de la Frontera and Moguer.

The Port of Huelva is laid out in a linear manner along the Odiel estuary, where the traditional docks are laid out. These are accessed via urban roads such as Avenidas Norte, Sur, Sanlúcar de Barrameda, Real Sociedad Colombina Onubense and Tomás Domínguez Ortiz, and the Huelva estuary, which is home to the industrial installations of the outer port.

Avenida Francisco Montenegro and the bridge over the Tinto River join the inner quays with the outer port of Huelva, in such a way that both areas share common accesses, despite their different functions and the distance separating them.

The road connection with the Guadalquivir valley and the centre of the peninsula is via the A-49 to Seville, and from that point via the N-IV Andalusia dual motorway. Therefore, this road connects to the trunk roads in the state road network.

The connection between Portugal and the western area of Huelva is via the N-431 and the A-492, which connect to the section of the A-49 dual carriageway between Huelva and Portugal.

The Ayamonte international bridge connects to the Portuguese road network, which runs from the border to the Algarve region via a motorway, which in turn is connected to the motorway to Lisbon. As far as traffic with Portugal is concerned, it should be noted that the only Portuguese port that deals with ships with a large draught is Sines, meaning that Huelva's area of influence for certain types of maritime traffic can include Portuguese regions of lower Alentejo and Algarve.

Moreover, traffic from the west can access the Port via the N-431 or the A-492. It has been identified that, when approaching the city, the traffic that goes to the inner quays accesses the city by the A-492 (Aljaraque to the N-431) instead of using the N-431 and Avda. Cristóbal Colón-Paseo Marítimo-Avda. Hispanoamérica, which is a significantly shorter route, as a result of which access to the port is gained from Aljaraque or Corrales over the new bridge on the River Odiel.

To go to the Outer Port, the traffic coming from the west is channelled along the N-431, bypassing the city to the north up to the A-49 branch road, which joins Huelva and then takes the south-east ring-road. The connection to the N-435 (Badajoz - Huelva) is made from the Trigueros junction on the A-49. This motorway channels the access traffic to the city and the port in both directions, and is the main route for accessing the industrial area of Huelva. The access to the outer port from the A-49 connects to the south-west ring road, a dual carriageway that acts as a bypass of the centre of Huelva, thus avoiding urban areas and coming out on the N-422, which provides access by dual carriageway to the outer port via the bridge over the River Tinto. The N-442 (Huelva-Mazagón) is the main thoroughfare for the outer port, and is particularly important for inner port and industrial traffic. This connection allows the transportation of hazardous goods.

When evaluating road accessibility to the Port of Huelva, it is necessary to stress the importance of local and regional traffic, as nearly 80% of the traffic originates from or is going to points within a 50 km radius, which relates to the industrial area adjacent to the port or the mining installations in the region.

The Port Authority of Huelva has a road network that serves its installations and service area well. The main artery is the route made up of Avenida de Hispano América, Avenida Francisco Montenegro (the road to Punta del Sebo) and the Tinto Bridge, which link interior docks and the outer port. Traffic from Portugal, Extremadura or Seville has easy access to the service area from the A-49 motorway or CN-431. Local traffic also flows fluidly thanks to an adequate and sensible network of roads and highways.

**The names and characteristics of the different roads for which the Authority is responsible are listed below:**

Port	Zone	Description	Name of Road	Code	Length (m)	Width (m)	Surface type
INSIDE	1	Pol. Pesquero Norte and shipyard area	Almadraba Street	C.Z01.ALM	308	10.5	Flexible with asphalt road surface
INSIDE	1	Pol. Pesquero Norte and shipyard area	Alonso Ojeda Street	C.Z01.ALO	672	10.9	Flexible with asphalt road surface
INSIDE	1	Pol. Pesquero Norte and shipyard area	Arrastre Street	C.Z01.ARR	791	10.5	Flexible with asphalt road surface
INSIDE	1	Pol. Pesquero Norte and shipyard area	Cerco Street	C.Z01.CER	422	5.4/10.5	Flexible with asphalt road surface
INSIDE	1	Pol. Pesquero Norte and shipyard area	Enlace Avenue	C.Z01.ENL	398	10.9	Flexible with asphalt road surface

Port	Zone	Description	Name of Road	Code	Length (m)	Width (m)	Surface type
INSIDE	1	Pol. Pesquero Norte and shipyard area	Unión Alonso Ojeda Street with Molino Avenue	C.Zo1.MOL	55	11.5	Flexible with asphalt road surface
INSIDE	2	Levante Quay Surroundings	Hispanoamérica Avenue	C.Zo2.HIS	1,324	13.4	Flexible with asphalt road surface/ concrete
INSIDE	2	Levante Quay Surroundings	Norte Avenue	C.Zo2.NOR	181	16.4	Flexible with asphalt road surface
INSIDE	2	Levante Quay Surroundings	Real Colombina Onubense Avenue	C.Zo2.RSO	128	7.5	Flexible with asphalt road surface
INSIDE	2	Levante Quay Surroundings	Sanlúcar de Barrameda Avenue	C.Zo2.SLU	166	7.5	Flexible with asphalt road surface
INSIDE	2	Levante Quay Surroundings	Levante Dock Pavement	M.LEV.PAV	1,324	80/variable	Rigid with concrete road surface and paving stone
INSIDE	3	P.I. Punta del Sebo	Cristobal Donante Street	C.Zo3.CRI	1,386	7	Flexible with asphalt road surface
INSIDE	3	Francisco Montenegro Avenue	Francisco Montenegro Avenue	C.Zo3.FCO	4,760	20.67	Flexible with asphalt road surface/ concrete
INSIDE	3	P.I. Punta del Sebo	Unnamed Street	C.Zo3.IOC	553	7/18	Flexible with asphalt road surface
INSIDE	3	Francisco Montenegro Avenue	Monumento a la Fe Descubridora rd.	C.Zo3.MON	258	7	Flexible with asphalt road surface
INSIDE	3	P.I. Punta del Sebo	Sabina Negral. TRo Street	C.Zo3.TRo	789	7	Flexible with asphalt road surface

Port	Zone	Description	Name of Road	Code	Length (m)	Width (m)	Surface type
INSIDE	3	P.I. Punta del Sebo	Joaquín Turina-TR1 Street	C.Zo3.TR1	949	7	Flexible with asphalt road surface
INSIDE	3	P.I. Punta del Sebo	Isaac Albeniz-TR2 Street	C.Zo3.TR2	621	7	Flexible with asphalt road surface
INSIDE	3	P.I. Punta del Sebo	Calderón de la Barca-TR3	C.Zo3.TR3	821	7	Flexible with asphalt road surface
INSIDE	3	P.I. Punta del Sebo	TRANSVERSAL 4	C.Zo3.TR4	621	7	Flexible with asphalt road surface/ concrete
INSIDE	3	P.I. Punta del Sebo	TRANSVERSAL 5	C.Zo3.TR5	840	7	Flexible with asphalt road surface
INSIDE	3	Francisco Montenegro Avenue	Margen Izq. Odiel crosswalk	C.Zo3.VER	3,550	8.4	Flexible with asphalt road surface
INSIDE	3	P.I. Punta de Sebo	ZAL	C.Zo3.ZAL	409	10.9	Flexible with asphalt road surface
OUTSIDE	4	Puerto Exterior P.I. Surroundings. New Port	Costera rd.	C.Zo4.CCO	6,700	7/18	Flexible with asphalt road surface
OUTSIDE	4	Puerto Exterior P.I. Surroundings. New Port	Posterior rd.	C.Zo4.CPO	7,156	18/9	Flexible with asphalt road surface
OUTSIDE	4	Puerto Exterior P.I. Surroundings. New Port	Perpendicular 1 Street (BERGÉ)	C.Zo4.PP1	261	7	Flexible with asphalt road surface
OUTSIDE	4	Puerto Exterior P.I. Surroundings. New Port	Perpendicular 2 Street(García Munté)	C.Zo4.PP2	256	7	Flexible with asphalt road surface

Port	Zone	Description	Name of Road	Code	Length (m)	Width (m)	Surface type
OUTSIDE	4	Puerto Exterior P.I. Surroundings. New Port	Perpendicular 3 Street(CALLE A)	C.Zo4.PP3	233	7	Flexible with asphalt road surface
OUTSIDE	4	Puerto Exterior P.I. Surroundings. New Port	Perpendicular 4 Street(DECAL)	C.Zo4.PP4	246	7	Flexible with asphalt road surface
OUTSIDE	4	Puerto Exterior P.I. Surroundings. New Port	Public apartment next to MIJG	C.Zo4.PR1	800	9	Rigid - concrete
OUTSIDE	4	Puerto Exterior P.I. Surroundings. New Port	Bar Nuevo Puerto Aparment	C.Zo4.PR2	100	50/ variable	Flexible with asphalt road surface
OUTSIDE	4	Puerto Exterior P.I. Surroundings. New Port	Palos-Rábida Street	C.zo4.RAB	200	18	Flexible with asphalt road surface
OUTSIDE	4	Puerto Exterior P.I. Surroundings. New Port	Bridge of Tinto (N-442)	C.Zo4.TIN	915	14	Rigid (concrete) with asphalt roadway
OUTSIDE	4	Puerto Exterior P.I. Surroundings. New Port	Pavement of the Ciudad de Palos Pier	M.CIP.PAV	250	40/ variable	Flexible with asphalt road surface
OUTSIDE	4	Puerto Exterior P.I. Surroundings. New Port	Pavement of the Ing. Juan Gonzalo Pier	M.IJG.PAV	950	15/ variable	Rigid - concrete
OUTSIDE	4	Puerto Exterior P.I. Surroundings. New Port	Pavement of the Minerales Pier	M.MIN.PAV	600	35/ variable	Flexible with asphalt road surface
OUTSIDE	4	Puerto Exterior P.I. Surroundings. New Port	Pavement of Petrolero Pier	M.PTR.PAV	150	3.6	Rigid - concrete

Port	Zone	Description	Name of Road	Code	Length (m)	Width (m)	Surface type
OUTSIDE	4	Puerto Exterior P.I. Surroundings. New Port	Pavement of Remolcadores Pier	M.REM.PAV	100	15	Flexible with asphalt road surface
OUTSIDE	4	Puerto Exterior P.I. Surroundings. New Port	Pavement of South Pier	M.SUR.PAV	750	80/ variable	Flexible with asphalt road surface
OUTSIDE	4	Puerto Exterior P.I. Surroundings. New Port	Villafría industrial estate	-	-	-	Flexible with asphalt road surface
DOCK	5	Juan Carlos I Dock	Juan Carlos I Road (PK 0+00 al 14+310)	C.Z05.DIQ	14,310	10	Flexible with asphalt road surface
DOCK	5	Juan Carlos I Dock	Juan Carlos I dock Road (PK 14+310 al 24+210)	C.Z05.DIQ	9,900	5.7	Rigid - concrete
<b>TOTAL</b>					<b>65,203</b>		
DOCK	5	Juan Carlos I Dock	Juan Carlos I dock Road (PK 14+310 al 24+210)	C.Z05.DIQ	9,900	5.7	Rigid - concrete
<b>TOTAL</b>					<b>65,203</b>		

Railway access to the Port of Huelva is via a branch line of the Seville-Huelva line on the General Interest Railway Network, which is also linked to the Huelva-Zafra line.


This line services the industrial part of the inner port on its east and west sides, the Ingeniero Juan Gonzalo Quay in the outer port and the linked industrial area (Nuevo Puerto Industrial Estate, Refinery, etc.).

The Zafra-Huelva line is the start of the Zafra-Jerez de los Caballeros branch line for freight, by means of which the Gallardo group (steel and cement) is supplied with scrap metal and clinker.



The distances from Huelva to the railway centres mentioned are:

Huelva-Seville	109 Km
Huelva-Zafra	179 Km



### Map of inner communications and land access

[See General Map of the Port of Huelva.](#)

## Installations for specific traffic types

### Brief description

This section completes section “Special loading and unloading installations” of this report and is dedicated to special loading and unloading installations, as a result of which the data on the characteristics of the installations it contains will not be repeated.

From the interior of the Ría del Odiel and listing them in the order in which they are physically located, the Port of Huelva has the following facilities for specific traffic types:

### **FERTIBERIA, S.A. (Phosphoric acid/compounds) jetty**

This jetty, built in 1972 by Fosfórico Español, S.A. is currently used for acids.

### **Atlantic Copper, S.L.U. north jetty**

This one-berth jetty was built in 2010 by Atlantic Copper, S.A. It has a draught of 6.50 m and a 14” pipeline for loading sulphuric acid.

### **FERTIBERIA, S.A. (Fertilisers) jetty**

Built in 1966 and, like the two jetties above, on the left bank of the River Odiel, this jetty is equipped for loading ammonia and also has a conveyor belt for loading fertilisers.

### **Arenillas Tower Oil Tanker Quay**

Built by the Administration in 1968, it has two independent berth that are used for the traffic of petroleum and petrochemical products, and mainly for loading/unloading refined products from/to CEPESA’s “La Rábida” Refinery.

### **Impala, S.L. Quay**

This quay was built in 2015. It has a draught of 13 m and conveyor belts for loading/unloading metal concentrates with a capacity of 1,000 tonnes/hour.

### **Atlantic Copper, S.L.U. jetty TNP 2**

This jetty, which was built in 1975 by A.I.E.S.A, has pipeline installations for transferring sulphuric acid from the Atlantic Copper, S.L.U. factory.

### **Atlantic Copper, S.L.U. jetty TNP 1**

This one-berth jetty, which is located between the Levantino Aragonesas de Tránsitos, S.A. jetty and the Atlantic Copper, S.L.U.,TNP 2 jetty, came into service in 1984. It has a draught of 10 m and has a 14” pipeline for transferring sulphuric acid.

### **Levantino Aragonesas de Tránsito, S.A. (formerly Fertinagro Sur, S.L.) jetty**

This one-berth jetty is located between the Atlantic Copper, S.L.U. TNP 1 jetty and the Enagás jetty and came into service in 1981. It has a draught of 9.7 m and is equipped so that it can be expanded in the future. It has an 8” pipeline for transferring phosphoric and sulphuric acids.

### **Enagás, S.A. jetty**

This jetty, built by ENAGÁS between the Levantino Aragonesa de Tránsitos, S.A. (formerly Fertinagro Sur, S.L.U.) jetty and the Reina Sofía jetty for loading and unloading large vessels, came into service in 1988. It has a berth with a 12 m draught, equipped with loading arms and a pipe network that connects it to the rest of the installations in the natural gas terminal. Its unloading capacity for the quay is 4,000 m<sup>3</sup>/h of LNG.

### **Reina Sofía Quay**

This quay is for loading and unloading bulk liquid. It was built in 1976 by U.E.R.T.S.A., now CEPSA, and is made up of an access gangway and four docking platforms. The four outer berths are equipped with the corresponding loading arms for liquid traffic.

### **Decal España, S.A. north jetty**

This jetty was built in 1995 by Catalana de Almacenes Petrolíferos, S.A (now Decal España, S.A.) for unloading petrol and diesel products. This installation is also equipped with a loading/unloading arm for cyclohexane, one for oil and a hose for unloading methanol. It is located to the south of the Reina Sofia quay. It has a draught of 11.50 m (MLWS) and is made up of a gangway and platform, two berthing dolphins and four for mooring, Piled foundation concrete structure.

### **Decal España, S.A. south jetty**

This jetty was built in 2009 by Decal España, S.A. para for loading/unloading vegetable oils. This installation is also equipped with a loading/unloading arm for diesel, one for methyl ester, one for methanol and one for fuel. It is located to the south of the Reina Sofia jetty. It has a draught of 12.50 m (MLWS) and is made up of a gangway and platform and four berthing dolphins. Piled foundation concrete structure.

### **Decal España, S.A. jetty (lighters)**

This jetty was built in 2008 to meet the demand for mooring bunkering barges. This installation, which is about 100 m further inland from the coast, has a length of 82 m, a berthing and loading/unloading platform, two berthing dolphins, pedestrian gangways, mooring fenders, quick release hooks and pedestrian walkways with pipe support.

### **Roll-on/roll-off ramp on the South Quay**

This ramp, which is currently owned by the Port Authority of Huelva, was built in 2011 by Naviera Armas, S.A., for ROPAX and roll-on roll-off vessels. A new regular line from Huelva to the Canary Islands has been started up with this installation. The ramp is 27.51 m wide and 50.40 m long, with the capacity to service two vessels.

### **Single buoy Terminal**

With a 22-metre draught on the chart, making it usable for vessels with a maximum draught of 16.50 metres, and linked to CEPESA's "La Rábida by a sea-line, there is a monobouy for receiving crude oil, with a maximum output of 3,800 Tm/h.